

## QN0805X474J3950FB

R25=470k $\Omega$   $\pm$ 5%, B25/50=3950  $\pm$ 1%, B25/85=4010

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
-40	13,910.365	15,160.061	16,480.724	8.71%	1.27
-39	13,046.753	14,209.660	15,437.531	8.64%	1.27
-38	12,241.848	13,324.438	14,466.508	8.57%	1.27
-37	11,491.340	12,499.569	13,562.267	8.50%	1.27
-36	10,791.252	11,730.606	12,719.850	8.43%	1.27
-35	10,137.922	11,013.456	11,934.691	8.36%	1.27
-34	9,527.973	10,344.344	11,202.587	8.30%	1.27
-33	8,958.287	9,719.791	10,519.663	8.23%	1.27
-32	8,425.987	9,136.588	9,882.349	8.16%	1.27
-31	7,928.417	8,591.771	9,287.351	8.10%	1.27
-30	7,463.122	8,082.608	8,731.630	8.03%	1.27
-29	7,027.835	7,606.570	8,212.381	7.96%	1.26
-28	6,620.459	7,161.326	7,727.014	7.90%	1.26
-27	6,239.052	6,744.716	7,273.134	7.83%	1.26
-26	5,881.820	6,354.745	6,848.531	7.77%	1.26
-25	5,547.101	5,989.567	6,451.158	7.71%	1.26
-24	5,233.355	5,647.473	6,079.124	7.64%	1.26
-23	4,939.155	5,326.879	5,730.676	7.58%	1.26
-22	4,663.181	5,026.320	5,404.195	7.52%	1.26
-21	4,404.205	4,744.438	5,098.177	7.46%	1.25
-20	4,161.090	4,479.971	4,811.232	7.39%	1.25
-19	3,932.780	4,231.753	4,542.070	7.33%	1.25
-18	3,718.296	3,998.697	4,289.493	7.27%	1.25
-17	3,516.726	3,779.798	4,052.394	7.21%	1.25
-16	3,327.226	3,574.122	3,829.741	7.15%	1.25
-15	3,149.008	3,380.799	3,620.578	7.09%	1.24
-14	2,981.343	3,199.024	3,424.017	7.03%	1.24

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
-13	2,823.548	3,028.045	3,239.233	6.97%	1.24
-12	2,674.993	2,867.164	3,065.459	6.92%	1.24
-11	2,535.087	2,715.734	2,901.980	6.86%	1.24
-10	2,403.282	2,573.148	2,748.133	6.80%	1.24
-9	2,279.066	2,438.845	2,603.301	6.74%	1.23
-8	2,161.964	2,312.300	2,466.908	6.69%	1.23
-7	2,051.530	2,193.026	2,338.420	6.63%	1.23
-6	1,947.351	2,080.565	2,217.336	6.57%	1.23
-5	1,849.039	1,974.496	2,103.193	6.52%	1.23
-4	1,756.236	1,874.420	1,995.556	6.46%	1.22
-3	1,668.602	1,779.968	1,894.021	6.41%	1.22
-2	1,585.824	1,690.797	1,798.211	6.35%	1.22
-1	1,507.608	1,606.582	1,707.774	6.30%	1.22
0	1,433.680	1,527.024	1,622.381	6.24%	1.21
1	1,363.781	1,451.842	1,541.725	6.19%	1.21
2	1,297.673	1,380.772	1,465.519	6.14%	1.21
3	1,235.130	1,313.568	1,393.495	6.08%	1.21
4	1,175.942	1,250.001	1,325.402	6.03%	1.20
5	1,119.911	1,189.855	1,261.006	5.98%	1.20
6	1,066.855	1,132.929	1,200.088	5.93%	1.20
7	1,016.599	1,079.035	1,142.442	5.88%	1.20
8	968.982	1,027.995	1,087.876	5.82%	1.19
9	923.852	979.645	1,036.209	5.77%	1.19
10	881.067	933.828	987.274	5.72%	1.19
11	840.493	890.400	940.913	5.67%	1.18
12	802.004	849.224	896.976	5.62%	1.18
13	765.484	810.173	855.326	5.57%	1.18
14	730.822	773.125	815.832	5.52%	1.18
15	697.914	737.969	778.371	5.47%	1.17
16	666.663	704.598	742.829	5.43%	1.17

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
17	636.977	672.912	709.098	5.38%	1.17
18	608.769	642.820	677.077	5.33%	1.16
19	581.960	614.231	646.671	5.28%	1.16
20	556.473	587.065	617.791	5.23%	1.16
21	532.236	561.243	590.352	5.19%	1.15
22	509.182	536.693	564.276	5.14%	1.15
23	487.247	513.344	539.487	5.09%	1.15
24	466.372	491.134	515.917	5.05%	1.14
25	446.500	470.000	493.500	5.00%	1.14
26	427.204	449.886	472.586	5.05%	1.16
27	408.843	430.736	452.668	5.09%	1.18
28	391.365	412.501	433.692	5.14%	1.19
29	374.725	395.133	415.610	5.18%	1.21
30	358.879	378.585	398.375	5.23%	1.23
31	343.784	362.815	381.943	5.27%	1.25
32	329.401	347.784	366.274	5.32%	1.26
33	315.694	333.452	351.328	5.36%	1.28
34	302.627	319.784	337.069	5.41%	1.30
35	290.168	306.746	323.461	5.45%	1.32
36	278.285	294.306	310.471	5.49%	1.34
37	266.949	282.434	298.070	5.54%	1.36
38	256.133	271.101	286.227	5.58%	1.38
39	245.809	260.280	274.914	5.62%	1.39
40	235.954	249.946	264.106	5.67%	1.41
41	226.543	240.074	253.777	5.71%	1.43
42	217.556	230.642	243.904	5.75%	1.45
43	208.969	221.628	234.465	5.79%	1.47
44	200.765	213.011	225.438	5.83%	1.49
45	192.924	204.772	216.805	5.88%	1.51
46	185.428	196.893	208.545	5.92%	1.53

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
47	178.261	189.357	200.640	5.96%	1.55
48	171.406	182.146	193.075	6.00%	1.57
49	164.849	175.246	185.833	6.04%	1.59
50	158.576	168.641	178.898	6.08%	1.61
51	152.572	162.318	172.256	6.12%	1.63
52	146.824	156.263	165.893	6.16%	1.65
53	141.322	150.464	159.797	6.20%	1.67
54	136.053	144.909	153.955	6.24%	1.69
55	131.006	139.585	148.355	6.28%	1.71
56	126.171	134.484	142.986	6.32%	1.73
57	121.538	129.594	137.838	6.36%	1.75
58	117.098	124.905	132.900	6.40%	1.77
59	112.841	120.409	128.163	6.44%	1.79
60	108.760	116.096	123.617	6.48%	1.81
61	104.846	111.959	119.256	6.52%	1.83
62	101.092	107.989	115.069	6.56%	1.85
63	97.490	104.179	111.049	6.59%	1.88
64	94.034	100.522	107.189	6.63%	1.90
65	90.717	97.011	103.481	6.67%	1.92
66	87.533	93.639	99.920	6.71%	1.94
67	84.476	90.401	96.498	6.75%	1.96
68	81.541	87.290	93.210	6.78%	1.98
69	78.721	84.300	90.050	6.82%	2.00
70	76.012	81.428	87.011	6.86%	2.03
71	73.409	78.667	84.090	6.89%	2.05
72	70.908	76.012	81.280	6.93%	2.07
73	68.504	73.460	78.578	6.97%	2.09
74	66.192	71.006	75.978	7.00%	2.11
75	63.970	68.645	73.477	7.04%	2.14
76	61.832	66.373	71.070	7.08%	2.16

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
77	59.776	64.188	68.752	7.11%	2.18
78	57.798	62.084	66.521	7.15%	2.20
79	55.895	60.060	64.373	7.18%	2.23
80	54.063	58.110	62.305	7.22%	2.25
81	52.299	56.233	60.312	7.25%	2.27
82	50.602	54.426	58.393	7.29%	2.30
83	48.967	52.685	56.543	7.32%	2.32
84	47.393	51.007	54.760	7.36%	2.34
85	45.876	49.391	53.042	7.39%	2.36
86	44.415	47.834	51.386	7.43%	2.39
87	43.008	46.332	49.789	7.46%	2.41
88	41.651	44.885	48.249	7.50%	2.44
89	40.343	43.489	46.764	7.53%	2.46
90	39.083	42.144	45.331	7.56%	2.48
91	37.867	40.846	43.949	7.60%	2.51
92	36.695	39.594	42.615	7.63%	2.53
93	35.564	38.386	41.327	7.66%	2.55
94	34.474	37.220	40.085	7.70%	2.58
95	33.421	36.095	38.885	7.73%	2.60
96	32.406	35.009	37.727	7.76%	2.63
97	31.426	33.961	36.608	7.80%	2.65
98	30.480	32.948	35.527	7.83%	2.68
99	29.567	31.971	34.484	7.86%	2.70
100	28.685	31.026	33.475	7.89%	2.73
101	27.833	30.114	32.501	7.93%	2.75
102	27.011	29.233	31.559	7.96%	2.78
103	26.216	28.382	30.649	7.99%	2.80
104	25.449	27.559	29.769	8.02%	2.83
105	24.707	26.763	28.918	8.05%	2.85
106	23.990	25.994	28.096	8.08%	2.88

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
107	23.297	25.251	27.300	8.12%	2.90
108	22.627	24.532	26.530	8.15%	2.93
109	21.980	23.837	25.786	8.18%	2.95
110	21.353	23.164	25.066	8.21%	2.98
111	20.748	22.513	24.368	8.24%	3.00
112	20.162	21.884	23.694	8.27%	3.03
113	19.595	21.275	23.041	8.30%	3.06
114	19.047	20.685	22.409	8.33%	3.08
115	18.516	20.115	21.796	8.36%	3.11
116	18.003	19.562	21.204	8.39%	3.14
117	17.505	19.027	20.630	8.42%	3.16
118	17.024	18.509	20.074	8.45%	3.19
119	16.558	18.008	19.535	8.48%	3.21
120	16.107	17.522	19.013	8.51%	3.24
121	15.670	17.051	18.508	8.54%	3.27
122	15.247	16.595	18.017	8.57%	3.30
123	14.837	16.153	17.542	8.60%	3.32
124	14.440	15.725	17.082	8.63%	3.35
125	14.055	15.310	16.636	8.66%	3.38