


高精度NTC热敏电阻芯片CT系列 (2kΩ~200kΩ)



型号	电阻值 (25℃) (kΩ)	B 常数 (25/50℃) (K)	B 常数 (25/85℃) (K)	耗散系数 (mW/℃)	热时间常 数 (s)	工作温度 (℃)
CT1X202□3950FB	2kΩ	3950±1%	4010	0.45	3	-40~125
CT1X222□3950FB	2.2kΩ	3950±1%	4010			
CT1X502□3380FB	5kΩ	3380±1%	3435			
CT1X752□3950FB	7.5kΩ	3950±1%	4010			
CT1X103□3380FB	10kΩ	3380±1%	3435			
CT1X103□3435FA	10kΩ	3380	3435±1%			
CT1X103□3950FB	10kΩ	3950±1%	4010			
CT1X303□3950FB	30kΩ	3950±1%	4010			
CT1X503□3950FB	50kΩ	3950±1%	4010			
CT1X833□3950FB	83kΩ	3950±1%	4010			
CT1X104□3950FB	100kΩ	3950±1%	4010			
CT1X104□4250FB	100kΩ	4250±1%	4310			
CT1X204□4250FB	200kΩ	4250±1%	4310			
CT1X204□4500FB	200kΩ	4500±1%	4580			
CT2X202□3950FB	2kΩ	3950±1%	4010			
CT2X222□3950FB	2.2kΩ	3950±1%	4010			
CT2X502□3380FB	5kΩ	3380±1%	3435			
CT2X752□3950FB	7.5kΩ	3950±1%	4010			
CT2X103□3380FB	10kΩ	3380±1%	3435			
CT2X103□3435FA	10kΩ	3380	3435±1%			
CT2X103□3950FB	10kΩ	3950±1%	4010			
CT2X303□3950FB	30kΩ	3950±1%	4010			
CT2X503□3950FB	50kΩ	3950±1%	4010			
CT2X833□3950FB	83kΩ	3950±1%	4010			
CT2X104□3950FB	100kΩ	3950±1%	4010			
CT2X104□4250FB	100kΩ	4250±1%	4310			
CT2X204□4250FB	200kΩ	4250±1%	4310			
CT2X204□4500FB	200kΩ	4500±1%	4580			

CT3X202□3950FB	2kΩ	3950±1%	4010	0.7	4	-40~125
CT3X222□3950FB	2.2kΩ	3950±1%	4010			
CT3X502□3380FB	5kΩ	3380±1%	3435			
CT3X752□3950FB	7.5kΩ	3950±1%	4010			
CT3X103□3380FB	10kΩ	3380±1%	3435			
CT3X103□3435FA	10kΩ	3380	3435±1%			
CT3X103□3950FB	10kΩ	3950±1%	4010			
CT3X303□3950FB	30kΩ	3950±1%	4010			
CT3X503□3950FB	50kΩ	3950±1%	4010			
CT3X833□3950FB	83kΩ	3950±1%	4010			
CT3X104□3950FB	100kΩ	3950±1%	4010			
CT3X104□4250FB	100kΩ	4250±1%	4310			
CT3X204□4250FB	200kΩ	4250±1%	4310			
CT3X204□4500FB	200kΩ	4500±1%	4580			
CT4X202□3950FB	2kΩ	3950±1%	4010	0.9	5	-40~125
CT4X222□3950FB	2.2kΩ	3950±1%	4010			
CT4X502□3380FB	5kΩ	3380±1%	3435			
CT4X752□3950FB	7.5kΩ	3950±1%	4010			
CT4X103□3380FB	10kΩ	3380±1%	3435			
CT4X103□3435FA	10kΩ	3380	3435±1%			
CT4X103□3950FB	10kΩ	3950±1%	4010			
CT4X303□3950FB	30kΩ	3950±1%	4010			
CT4X503□3950FB	50kΩ	3950±1%	4010			
CT4X833□3950FB	83kΩ	3950±1%	4010			
CT4X104□3950FB	100kΩ	3950±1%	4010			
CT4X104□4250FB	100kΩ	4250±1%	4310			
CT4X204□4250FB	200kΩ	4250±1%	4310			
CT4X204□4500FB	200kΩ	4500±1%	4580			
CT5X202□3950FB	2kΩ	3950±1%	4010	1.0	5	-40~125
CT5X222□3950FB	2.2kΩ	3950±1%	4010			

CT5X502□3380FB	5kΩ	3380±1%	3435			
CT5X752□3950FB	7.5kΩ	3950±1%	4010			
CT5X103□3380FB	10kΩ	3380±1%	3435			
CT5X103□3435FA	10kΩ	3380	3435±1%			
CT5X103□3950FB	10kΩ	3950±1%	4010			
CT5X303□3950FB	30kΩ	3950±1%	4010			
CT5X503□3950FB	50kΩ	3950±1%	4010			
CT5X833□3950FB	83kΩ	3950±1%	4010			
CT5X104□3950FB	100kΩ	3950±1%	4010			
CT5X104□4250FB	100kΩ	4250±1%	4310			
CT5X204□4250FB	200kΩ	4250±1%	4310			
CT5X204□4500FB	200kΩ	4500±1%	4580			

- 产品包装

